

Produkt Familie	EAN10	Produkt Name	Lichtaus- beute [lm/W]	Lebensdauer L80/B50 [h]
<b>LUM FY20/21</b>				
<b>DAMP PROOF</b>				
DAMP PROOF	4058075541047	DAMP PROOF 1200 18W 840 IP65 GY	133	50000
DAMP PROOF	4058075541061	DAMP PROOF 1200 18W 865 IP65 GY	133	50000
DAMP PROOF	4058075541085	DAMP PROOF 1200 32W 830 IP65 GY	138	50000
DAMP PROOF	4058075541108	DAMP PROOF 1200 32W 840 IP65 GY	125	50000
DAMP PROOF	4058075541122	DAMP PROOF 1200 32W 865 IP65 GY	138	50000
DAMP PROOF	4058075541160	DAMP PROOF 1500 26W 865 IP65 GY	135	50000
DAMP PROOF	4058075541146	DAMP PROOF 1500 26W 840 IP65 GY	135	50000
DAMP PROOF	4058075541184	DAMP PROOF 1500 46W 830 IP65 GY	125	50000
DAMP PROOF	4058075541207	DAMP PROOF 1500 46W 840 IP65 GY	139	50000
DAMP PROOF	4058075541221	DAMP PROOF 1500 46W 865 IP65 GY	139	50000
DAMP PROOF	4058075541245	DAMP PROOF 1500 58W 840 IP65 GY	135	50000
DAMP PROOF	4058075541269	DAMP PROOF 1500 58W 865 IP65 GY	135	50000
DAMP PROOF	4058075541283	DAMP PROOF 1500 81W 840 IP65 GY	136	50000
DAMP PROOF	4058075541306	DAMP PROOF 1500 81W 865 IP65 GY	136	50000
<b>DAMP PROOF 5X THROUGHWIRING</b>				
DAMP PROOF 5X THROUGHWIRING	4058075541924	DAMP PROOF 5x THROUGHWIRING 1200 32W 840 IP65 GY	138	50000
DAMP PROOF 5X THROUGHWIRING	4058075541948	DAMP PROOF 5x THROUGHWIRING 1500 46W 840 IP65 GY	139	50000
<b>DAMP PROOF DALI</b>				
DAMP PROOF DALI	4058075541641	DAMP PROOF DALI 1200 18W 840 IP65 GY	133	50000
DAMP PROOF DALI	4058075541665	DAMP PROOF DALI 1200 18W 865 IP65 GY	133	50000
DAMP PROOF DALI	4058075541689	DAMP PROOF DALI 1200 32W 830 IP65 GY	125	50000
DAMP PROOF DALI	4058075541702	DAMP PROOF DALI 1200 32W 840 IP65 GY	138	50000
DAMP PROOF DALI	4058075541726	DAMP PROOF DALI 1200 32W 865 IP65 GY	138	50000
DAMP PROOF DALI	4058075541740	DAMP PROOF DALI 1500 26W 840 IP65 GY	135	50000
DAMP PROOF DALI	4058075541764	DAMP PROOF DALI 1500 26W 865 IP65 GY	135	50000
DAMP PROOF DALI	4058075541788	DAMP PROOF DALI 1500 46W 830 IP65 GY	125	50000
DAMP PROOF DALI	4058075541801	DAMP PROOF DALI 1500 46W 840 IP65 GY	139	50000
DAMP PROOF DALI	4058075541825	DAMP PROOF DALI 1500 46W 865 IP65 GY	139	50000
DAMP PROOF DALI	4058075541849	DAMP PROOF DALI 1500 58W 840 IP65 GY	138	50000
DAMP PROOF DALI	4058075541863	DAMP PROOF DALI 1500 58W 865 IP65 GY	138	50000
<b>DAMP PROOF EMERGENCY</b>				
DAMP PROOF EMERGENCY	4058075541320	DAMP PROOF EMERGENCY 1200 18W 840 IP65 GY	133	50000
DAMP PROOF EMERGENCY	4058075541344	DAMP PROOF EMERGENCY 1200 18W 865 IP65 GY	133	50000
DAMP PROOF EMERGENCY	4058075541368	DAMP PROOF EMERGENCY 1200 32W 830 IP65 GY	125	50000
DAMP PROOF EMERGENCY	4058075541382	DAMP PROOF EMERGENCY 1200 32W 840 IP65 GY	138	50000
DAMP PROOF EMERGENCY	4058075541405	DAMP PROOF EMERGENCY 1200 32W 865 IP65 GY	138	50000
DAMP PROOF EMERGENCY	4058075541429	DAMP PROOF EMERGENCY 1500 26W 840 IP65 GY	135	50000
DAMP PROOF EMERGENCY	4058075541443	DAMP PROOF EMERGENCY 1500 26W 865 IP65 GY	135	50000
DAMP PROOF EMERGENCY	4058075541467	DAMP PROOF EMERGENCY 1500 46W 830 IP65 GY	125	50000
DAMP PROOF EMERGENCY	4058075541481	DAMP PROOF EMERGENCY 1500 46W 840 IP65 GY	139	50000
DAMP PROOF EMERGENCY	4058075541504	DAMP PROOF EMERGENCY 1500 46W 865 IP65 GY	139	50000
DAMP PROOF EMERGENCY	4058075541528	DAMP PROOF EMERGENCY 1500 58W 840 IP65 GY	138	50000
DAMP PROOF EMERGENCY	4058075541542	DAMP PROOF EMERGENCY 1500 58W 865 IP65 GY	138	50000
DAMP PROOF EMERGENCY	4058075541566	DAMP PROOF EMERGENCY 1500 81W 840 IP65 GY	136	50000
DAMP PROOF EMERGENCY	4058075541580	DAMP PROOF EMERGENCY 1500 81W 865 IP65 GY	136	50000
<b>DAMP PROOF SPECIAL GEN 2</b>				
DAMP PROOF SPECIAL GEN 2	4058075452114	DAMP PROOF SPECIAL GEN 2 1200 22 W 4000 K WT IP67	130	50000
DAMP PROOF SPECIAL GEN 2	4058075452138	DAMP PROOF SPECIAL GEN 2 1500 30 W 4000 K WT IP67	130	50000
DAMP PROOF SPECIAL GEN 2	4058075452152	DAMP PROOF SPECIAL GEN 2 1200 42 W 4000 K WT IP67	130	50000
DAMP PROOF SPECIAL GEN 2	4058075452176	DAMP PROOF SPECIAL GEN 2 1500 50 W 4000 K WT IP67	130	50000
<b>DOWNLIGHT UGR19</b>				
DOWNLIGHT UGR19	4058075459274	DOWNLIGHT UGR19 DN195 21 W 840 WT IP54	120	60000
<b>DOWNLIGHT UGR19 DALI</b>				
DOWNLIGHT UGR19 DALI	4058075459854	DOWNLIGHT UGR19 DALI 21 W 840 WT IP54 DALI	120	60000
<b>DOWNLIGHT UGR19 ZIGBEE</b>				
DOWNLIGHT UGR19 ZIGBEE	4058075459397	DOWNLIGHT UGR19 ZIGBEE 21W 840 ZBVR WT	120	60000
<b>FLOODLIGHT 10 W</b>				
FLOODLIGHT 10 W	4058075420885	FLOODLIGHT 10 W 4000 K SYM 100 BK	120	55000
FLOODLIGHT 10 W	4058075420908	FLOODLIGHT 10 W 4000 K SYM 100 WT	120	55000
FLOODLIGHT 10 W	4058075420922	FLOODLIGHT 10 W 6500 K SYM 100 BK	120	55000
FLOODLIGHT 10 W	4058075420946	FLOODLIGHT 10 W 6500 K SYM 100 WT	120	55000
<b>FLOODLIGHT 125 W</b>				
FLOODLIGHT 125 W	4058075423701	FLOODLIGHT 125 W 4000 K SYM 100 BK	120	55000
FLOODLIGHT 125 W	4058075423718	FLOODLIGHT 125 W 6500 K SYM 100 BK	120	55000
<b>FLOODLIGHT 165 W</b>				
FLOODLIGHT 165 W	4058075423732	FLOODLIGHT 165 W 4000 K SYM 100 BK	121	55000
FLOODLIGHT 165 W	4058075423749	FLOODLIGHT 165 W 6500 K SYM 100 BK	121	55000
<b>FLOODLIGHT 20 W</b>				
FLOODLIGHT 20 W	4058075421011	FLOODLIGHT 20 W 4000 K SYM 100 BK	120	55000
FLOODLIGHT 20 W	4058075421035	FLOODLIGHT 20 W 4000 K SYM 100 WT	120	55000
FLOODLIGHT 20 W	4058075421059	FLOODLIGHT 20 W 6500 K SYM 100 BK	120	55000
FLOODLIGHT 20 W	4058075421073	FLOODLIGHT 20 W 6500 K SYM 100 WT	120	55000
<b>FLOODLIGHT 200 W</b>				
FLOODLIGHT 200 W	4058075423763	FLOODLIGHT 200 W 4000 K SYM 100 BK	125	55000
FLOODLIGHT 200 W	4058075423770	FLOODLIGHT 200 W 6500 K SYM 100 BK	125	55000
<b>FLOODLIGHT 30 W</b>				
FLOODLIGHT 30 W	4058075421134	FLOODLIGHT 30 W 4000 K SYM 100 BK	120	55000
FLOODLIGHT 30 W	4058075421165	FLOODLIGHT 30 W 4000 K SYM 100 WT	120	55000
FLOODLIGHT 30 W	4058075421189	FLOODLIGHT 30 W 6500 K SYM 100 BK	120	55000
FLOODLIGHT 30 W	4058075421202	FLOODLIGHT 30 W 6500 K SYM 100 WT	120	55000
<b>FLOODLIGHT 50 W</b>				

Produkt Familie	EAN10	Produkt Name	Lichtaus- beute [lm/W]	Lebensdauer L80/B50 [h]
FLOODLIGHT 50 W	4058075421264	FLOODLIGHT 50 W 4000 K SYM 100 BK	120	55000
FLOODLIGHT 50 W	4058075421288	FLOODLIGHT 50 W 4000 K SYM 100 WT	120	55000
FLOODLIGHT 50 W	4058075421301	FLOODLIGHT 50 W 6500 K SYM 100 BK	120	55000
FLOODLIGHT 50 W	4058075421325	FLOODLIGHT 50 W 6500 K SYM 100 WT	120	55000
FLOODLIGHT 65 W				
FLOODLIGHT 65 W	4058075422469	FLOODLIGHT 65 W 4000 K SYM 100 BK	123	55000
FLOODLIGHT 65 W	4058075422483	FLOODLIGHT 65 W 6500 K SYM 100 BK	123	55000
FLOODLIGHT 80 W				
FLOODLIGHT 80 W	4058075422520	FLOODLIGHT 80 W 4000 K SYM 100 BK	125	55000
FLOODLIGHT 80 W	4058075422544	FLOODLIGHT 80 W 6500 K SYM 100 BK	125	55000
FLOODLIGHT AREA (EU)				
FLOODLIGHT AREA (EU)	4058075539730	FLOODLIGHT AREA 72 W 3000 K BK	129	50000
FLOODLIGHT AREA (EU)	4058075537747	FLOODLIGHT AREA 72 W 4000 K BK	139	50000
FLOODLIGHT AREA (EU)	4058075539754	FLOODLIGHT AREA 105 W 3000 K BK	132	50000
FLOODLIGHT AREA (EU)	4058075539791	FLOODLIGHT AREA 105 W 4000 K BK	143	50000
FLOODLIGHT AREA (EU)	4058075539778	FLOODLIGHT AREA 145 W 3000 K BK	129	50000
FLOODLIGHT AREA (EU)	4058075539785	FLOODLIGHT AREA 145 W 4000 K BK	138	50000
FLOODLIGHT PERFORMANCE ASYM 45x140				
FLOODLIGHT PERFORMANCE ASYM 45x140	4058075353626	FLOODLIGHT PERFORMANCE ASYM 45x140 50 W 4000 K BK	125	70000
FLOODLIGHT PERFORMANCE ASYM 45x140	4058075353633	FLOODLIGHT PERFORMANCE ASYM 45x140 100 W 3000 K BK	120	70000
FLOODLIGHT PERFORMANCE ASYM 45x140	4058075353688	FLOODLIGHT PERFORMANCE ASYM 45x140 100 W 4000 K BK	130	70000
FLOODLIGHT PERFORMANCE ASYM 45x140	4058075353695	FLOODLIGHT PERFORMANCE ASYM 45x140 150 W 3000 K BK	120	70000
FLOODLIGHT PERFORMANCE ASYM 45x140	4058075353701	FLOODLIGHT PERFORMANCE ASYM 45x140 150 W 4000 K BK	130	70000
FLOODLIGHT PERFORMANCE ASYM 45x140	4058075353718	FLOODLIGHT PERFORMANCE ASYM 45x140 200 W 3000 K BK	130	70000
FLOODLIGHT PERFORMANCE ASYM 45x140	4058075353725	FLOODLIGHT PERFORMANCE ASYM 45x140 200 W 4000 K BK	140	70000
FLOODLIGHT PERFORMANCE ASYM 45x140	4058075353732	FLOODLIGHT PERFORMANCE ASYM 45x140 290 W 3000 K BK	120	70000
FLOODLIGHT PERFORMANCE ASYM 45x140	4058075353749	FLOODLIGHT PERFORMANCE ASYM 45x140 290 W 4000 K BK	130	70000
FLOODLIGHT PERFORMANCE ASYM 55x110				
FLOODLIGHT PERFORMANCE ASYM 55x110	4058075353305	FLOODLIGHT PERFORMANCE ASYM 55x110 50 W 4000 K BK	125	70000
FLOODLIGHT PERFORMANCE ASYM 55x110	4058075353312	FLOODLIGHT PERFORMANCE ASYM 55x110 100 W 3000 K BK	120	70000
FLOODLIGHT PERFORMANCE ASYM 55x110	4058075353527	FLOODLIGHT PERFORMANCE ASYM 55x110 100 W 4000 K BK	130	70000
FLOODLIGHT PERFORMANCE ASYM 55x110	4058075353534	FLOODLIGHT PERFORMANCE ASYM 55x110 150 W 3000 K BK	125	70000
FLOODLIGHT PERFORMANCE ASYM 55x110	4058075353541	FLOODLIGHT PERFORMANCE ASYM 55x110 150 W 4000 K BK	135	70000
FLOODLIGHT PERFORMANCE ASYM 55x110	4058075353558	FLOODLIGHT PERFORMANCE ASYM 55x110 200 W 3000 K BK	130	70000
FLOODLIGHT PERFORMANCE ASYM 55x110	4058075353565	FLOODLIGHT PERFORMANCE ASYM 55x110 200 W 4000 K BK	140	70000
FLOODLIGHT PERFORMANCE ASYM 55x110	4058075353572	FLOODLIGHT PERFORMANCE ASYM 55x110 290 W 3000 K BK	125	70000
FLOODLIGHT PERFORMANCE ASYM 55x110	4058075353602	FLOODLIGHT PERFORMANCE ASYM 55x110 290 W 4000 K BK	135	70000
FLOODLIGHT PERFORMANCE SYM 60				
FLOODLIGHT PERFORMANCE SYM 60	4058075540989	FLOODLIGHT PERFORMANCE SYM 60 150 W 3000 K BK	132	70000
FLOODLIGHT PERFORMANCE SYM 60	4058075540996	FLOODLIGHT PERFORMANCE SYM 60 150 W 4000 K BK	140	70000
FLOODLIGHT PERFORMANCE SYM 60	4058075541009	FLOODLIGHT PERFORMANCE SYM 60 200 W 3000 K BK	132	70000
FLOODLIGHT PERFORMANCE SYM 60	4058075541016	FLOODLIGHT PERFORMANCE SYM 60 200 W 4000 K BK	140	70000
FLOODLIGHT PERFORMANCE SYM 60	4058075541023	FLOODLIGHT PERFORMANCE SYM 60 290 W 3000 K BK	132	70000
FLOODLIGHT PERFORMANCE SYM 60	4058075541030	FLOODLIGHT PERFORMANCE SYM 60 290 W 4000 K BK	140	70000
FLOODLIGHT PERFORMANCE SYM R30				
FLOODLIGHT PERFORMANCE SYM R30	4058075353756	FLOODLIGHT PERFORMANCE SYM R30 150 W 3000 K BK	125	70000
FLOODLIGHT PERFORMANCE SYM R30	4058075353763	FLOODLIGHT PERFORMANCE SYM R30 150 W 4000 K BK	135	70000
FLOODLIGHT PERFORMANCE SYM R30	4058075353770	FLOODLIGHT PERFORMANCE SYM R30 200 W 3000 K BK	130	70000
FLOODLIGHT PERFORMANCE SYM R30	4058075353787	FLOODLIGHT PERFORMANCE SYM R30 200 W 4000 K BK	140	70000
FLOODLIGHT PERFORMANCE SYM R30	4058075353794	FLOODLIGHT PERFORMANCE SYM R30 290 W 3000 K BK	125	70000
FLOODLIGHT PERFORMANCE SYM R30	4058075353800	FLOODLIGHT PERFORMANCE SYM R30 290 W 4000 K BK	135	70000
FLOODLIGHT PHOTOCCELL 125 W				
FLOODLIGHT PHOTOCCELL 125 W	4058075461161	FLOODLIGHT PHOTOCCELL 125 W 4000 K SYM 100 SL BK	125	55000
FLOODLIGHT PHOTOCCELL 165 W				
FLOODLIGHT PHOTOCCELL 165 W	4058075461185	FLOODLIGHT PHOTOCCELL 165 W 4000 K SYM 100 SL BK	125	55000
FLOODLIGHT PHOTOCCELL 200 W				
FLOODLIGHT PHOTOCCELL 200 W	4058075461208	FLOODLIGHT PHOTOCCELL 200 W 4000 K SYM 100 SL BK	125	55000
FLOODLIGHT PHOTOCCELL 65 W				
FLOODLIGHT PHOTOCCELL 65 W	4058075461093	FLOODLIGHT PHOTOCCELL 65 W 4000 K SYM 100 SL BK	125	55000
FLOODLIGHT PHOTOCCELL 80 W				
FLOODLIGHT PHOTOCCELL 80 W	4058075461130	FLOODLIGHT PHOTOCCELL 80 W 4000 K SYM 100 SL BK	125	55000
FLOODLIGHT SENSOR 10 W				
FLOODLIGHT SENSOR 10 W	4058075460874	FLOODLIGHT SENSOR 10 W 4000 K SYM 100 S BK	120	55000
FLOODLIGHT SENSOR 10 W	4058075460898	FLOODLIGHT SENSOR 10 W 4000 K SYM 100 S WT	120	55000
FLOODLIGHT SENSOR 20 W				
FLOODLIGHT SENSOR 20 W	4058075460959	FLOODLIGHT SENSOR 20 W 4000 K SYM 100 S BK	120	55000
FLOODLIGHT SENSOR 20 W	4058075460973	FLOODLIGHT SENSOR 20 W 4000 K SYM 100 S WT	120	55000
FLOODLIGHT SENSOR 50 W				
FLOODLIGHT SENSOR 50 W	4058075461031	FLOODLIGHT SENSOR 50 W 4000 K SYM 100 S BK	120	55000
FLOODLIGHT SENSOR 50 W	4058075461055	FLOODLIGHT SENSOR 50 W 4000 K SYM 100 S WT	120	55000
FLOOR STANDING HOME OFFICE				
FLOOR STANDING HOME OFFICE	4058075549883	FLOOR STANDING HOME OFFICE 43W 830 WT EU PLUG	126	50000
FLOOR STANDING HOME OFFICE	4058075554191	FLOOR STANDING HOME OFFICE 43W 840 WT EU PLUG	130	50000
FLOOR STANDING HOME OFFICE	4058075612792	FLOOR STANDING HOME OFFICE 43W 840 WT CH PLUG	130	50000
HIGH BAY DALI GEN 3				
HIGH BAY DALI GEN 3	4058075543904	HIGH BAY DALI GEN 3 93 W 4000 K 110DEG IP65	140	50000
HIGH BAY DALI GEN 3	4058075543911	HIGH BAY DALI GEN 3 93 W 4000 K 70DEG IP65	140	50000
HIGH BAY DALI GEN 3	4058075543928	HIGH BAY DALI GEN 3 155 W 4000 K 110DEG IP65	140	50000
HIGH BAY DALI GEN 3	4058075543935	HIGH BAY DALI GEN 3 155 W 4000 K 70DEG IP65	140	50000
HIGH BAY DALI GEN 3	4058075543942	HIGH BAY DALI GEN 3 190 W 4000 K 110DEG IP65	140	50000
HIGH BAY DALI GEN 3	4058075543959	HIGH BAY DALI GEN 3 190 W 4000 K 70DEG IP65	140	50000
HIGH BAY DALI GEN 3	4058075543966	HIGH BAY DALI GEN 3 210 W 4000 K 70DEG IP65	140	50000
HIGH BAY GEN 3				
HIGH BAY GEN 3	4058075452367	HIGH BAY GEN 3 93 W 4000 K 110DEG IP65	140	50000

Produkt Familie	EAN10	Produkt Name	Lichtaus- beute [lm/W]	Lebensdauer L80/B50 [h]
HIGH BAY GEN 3	4058075452374	HIGH BAY GEN 3 93 W 4000 K 70DEG IP65	140	50000
HIGH BAY GEN 3	4058075452381	HIGH BAY GEN 3 155 W 4000 K 110DEG IP65	140	50000
HIGH BAY GEN 3	4058075452411	HIGH BAY GEN 3 155 W 4000 K 70DEG IP65	140	50000
HIGH BAY GEN 3	4058075452428	HIGH BAY GEN 3 190 W 4000 K 110DEG IP65	140	50000
HIGH BAY GEN 3	4058075452459	HIGH BAY GEN 3 190 W 4000 K 70DEG IP65	140	50000
HIGH BAY GEN 3	4058075452466	HIGH BAY GEN 3 210 W 4000 K 70DEG IP65	140	50000
HIGH BAY GEN 3	4058075452510	HIGH BAY GEN 3 93 W 6500 K 110DEG IP65	140	50000
HIGH BAY GEN 3	4058075452541	HIGH BAY GEN 3 93 W 6500 K 70DEG IP65	140	50000
HIGH BAY GEN 3	4058075452572	HIGH BAY GEN 3 155 W 6500 K 110DEG IP65	140	50000
HIGH BAY GEN 3	4058075452589	HIGH BAY GEN 3 190 W 6500 K 70DEG IP65	140	50000
HIGH BAY GEN 3	4058075452596	HIGH BAY GEN 3 210 W 6500 K 70DEG IP65	140	50000
HIGH BAY GEN 4				
HIGH BAY GEN 4	4058075692718	HIGH BAY GEN 4 87W 840 110DEG IP65	150	50000
HIGH BAY GEN 4	4058075692787	HIGH BAY GEN 4 87W 840 70DEG IP65	150	50000
HIGH BAY GEN 4	4058075692855	HIGH BAY GEN 4 87W 865 70DEG IP65	150	50000
HIGH BAY GEN 4	4058075692848	HIGH BAY GEN 4 87W 865 110DEG IP65	150	50000
HIGH BAY GEN 4	4058075692794	HIGH BAY GEN 4 147W 840 110DEG IP65	150	50000
HIGH BAY GEN 4	4058075692800	HIGH BAY GEN 4 147W 840 70DEG IP65	150	50000
HIGH BAY GEN 4	4058075692862	HIGH BAY GEN 4 147W 865 110DEG IP65	150	50000
HIGH BAY GEN 4	4058075692824	HIGH BAY GEN 4 190W 840 70DEG IP65	140	50000
HIGH BAY GEN 4	4058075692817	HIGH BAY GEN 4 190W 840 110DEG IP65	140	50000
HIGH BAY GEN 4	<u>4058075692879</u>	<u>HIGH BAY GEN 4 190W 865 70DEG IP65</u>	140	50000
HIGH BAY GEN 4	4058075692831	HIGH BAY GEN 4 210W 840 70DEG IP65	140	50000
HIGH BAY GEN 4	4058075692886	HIGH BAY GEN 4 210W 865 70DEG IP65	140	50000
LINEAR IndiviLED® DIRECT				
LINEAR IndiviLED® DIRECT	4058075109629	LINEAR IndiviLED® DIRECT 1200 34 W 4000 K	120	50000
LINEAR IndiviLED® DIRECT	4058075109643	LINEAR IndiviLED® DIRECT 1500 25 W 3000 K	125	50000
LINEAR IndiviLED® DIRECT	4058075109667	LINEAR IndiviLED® DIRECT 1500 25 W 4000 K	125	50000
LINEAR IndiviLED® DIRECT	4058075109704	LINEAR IndiviLED® DIRECT 1500 48 W 4000 K	120	50000
LINEAR IndiviLED® DIRECT DALI				
LINEAR IndiviLED® DIRECT DALI	4058075108929	LINEAR IndiviLED® DIRECT DALI 25W 3000 K	125	50000
LINEAR IndiviLED® DIRECT DALI	4058075108943	LINEAR IndiviLED® DIRECT DALI 25W 4000 K	125	50000
LINEAR IndiviLED® DIRECT DALI	4058075503960	LINEAR IndiviLED® DIRECT DALI 34W 4000 K	125	50000
LINEAR IndiviLED® DIRECT DALI	4058075504004	LINEAR IndiviLED® DIRECT DALI 48W 4000 K	120	50000
LINEAR IndiviLED® DIRECT EMERGENCY				
LINEAR IndiviLED® DIRECT EMERGENCY	4058075109520	LINEAR IndiviLED® DIRECT EMERGENCY 1200 34 W 3000 K EM	120	50000
LINEAR IndiviLED® DIRECT EMERGENCY	4058075109544	LINEAR IndiviLED® DIRECT EMERGENCY 1200 34 W 4000 K EM	120	50000
LINEAR IndiviLED® DIRECT EMERGENCY	4058075109568	LINEAR IndiviLED® DIRECT EMERGENCY 1500 25 W 3000 K EM	120	50000
LINEAR IndiviLED® DIRECT EMERGENCY	4058075109582	LINEAR IndiviLED® DIRECT EMERGENCY 1500 25 W 4000 K EM	120	50000
LINEAR IndiviLED® DIRECT EMERGENCY	4058075109803	LINEAR IndiviLED® DIRECT EMERGENCY 1500 48 W 3000 K EM	120	50000
LINEAR IndiviLED® DIRECT EMERGENCY	4058075109827	LINEAR IndiviLED® DIRECT EMERGENCY 1500 48 W 4000 K EM	120	50000
LINEAR IndiviLED® DIRECT ZIGBEE				
LINEAR IndiviLED® DIRECT ZIGBEE	4058075521902	LINEAR IndiviLED® DIRECT ZIGBEE 34W 4000 K	125	50000
LINEAR IndiviLED® DIRECT ZIGBEE	4058075521926	LINEAR IndiviLED® DIRECT ZIGBEE 48W 4000 K	120	50000
LINEAR IndiviLED® DIRECT/INDIRECT				
LINEAR IndiviLED® DIRECT/INDIRECT	4058075109742	LINEAR IndiviLED® DIRECT/INDIRECT 1200 42 W 4000 K	120	50000
LINEAR IndiviLED® DIRECT/INDIRECT	4058075109025	LINEAR IndiviLED® DIRECT/INDIRECT 1200 42 W 4000 K DALI	120	50000
LINEAR IndiviLED® DIRECT/INDIRECT EMERGENCY				
LINEAR IndiviLED® DIRECT/INDIRECT EMERGENCY	4058075109841	LINEAR IndiviLED® DIRECT/INDIRECT EMERGENCY 1200 42 W 3000 K EM	120	50000
LINEAR IndiviLED® DIRECT/INDIRECT EMERGENCY	4058075109865	LINEAR IndiviLED® DIRECT/INDIRECT EMERGENCY 1200 42 W 4000 K EM	120	50000
LINEAR IndiviLED® DIRECT/INDIRECT EMERGENCY	4058075109889	LINEAR IndiviLED® DIRECT/INDIRECT EMERGENCY 1500 56 W 3000 K EM	120	50000
LINEAR IndiviLED® DIRECT/INDIRECT EMERGENCY	4058075109902	LINEAR IndiviLED® DIRECT/INDIRECT EMERGENCY 1500 56 W 4000 K EM	120	50000
PANEL 600 IP 54				
PANEL 600 IP 54	4058075149489	PANEL 600 IP54 36 W 3000 K OP WT	120	60000
PANEL 600 IP 54	4058075149502	PANEL 600 IP54 36 W 4000 K OP WT	120	60000
PANEL 600 IP 54	4058075217720	PANEL 600 IP54 36 W 3000 K OP WT DALI	120	60000
PANEL 600 IP 54	4058075217744	PANEL 600 IP54 36 W 4000 K OP WT DALI	120	60000
PANEL 625 IP 54				
PANEL 625 IP 54	4058075149526	PANEL 625 IP54 36 W 3000 K OP WT	120	60000
PANEL 625 IP 54	4058075149540	PANEL 625 IP54 36 W 4000 K OP WT	120	60000
PANEL 625 IP 54	4058075217768	PANEL 625 IP54 36 W 3000 K OP WT DALI	120	60000
PANEL 625 IP 54	4058075217782	PANEL 625 IP54 36 W 4000 K OP WT DALI	120	60000
PANEL IndiviLED® 600				
PANEL IndiviLED® 600	4058075201156	PANEL IndiviLED® 600 33 W 4000 K	120	60000
PANEL IndiviLED® 600 DALI				
PANEL IndiviLED® 600 DALI	4058075503861	PANEL IndiviLED® 600 DALI 33W 4000 K	120	60000
PANEL IndiviLED® 600 ZIGBEE				
PANEL IndiviLED® 600 ZIGBEE	4058075521841	PANEL IndiviLED® 600 ZIGBEE 33W 4000 K	120	60000
PANEL IndiviLED® 625				
PANEL IndiviLED® 625	4058075201194	PANEL IndiviLED® 625 33 W 4000 K	120	60000
PANEL IndiviLED® 625 DALI				
PANEL IndiviLED® 625 DALI	4058075503922	PANEL IndiviLED® 625 DALI 33W 4000 K	120	60000
PANEL IndiviLED® 625 ZIGBEE				
PANEL IndiviLED® 625 ZIGBEE	4058075521865	PANEL IndiviLED® 625 ZIGBEE 33W 4000 K	120	60000
PANEL IndiviLED® EMERGENCY 600				
PANEL IndiviLED® EMERGENCY 600	4058075201316	PANEL IndiviLED® EMERGENCY 600 33 W 4000 K	120	60000
PANEL IndiviLED® EMERGENCY 625				
PANEL IndiviLED® EMERGENCY 625	4058075201354	PANEL IndiviLED® EMERGENCY 625 33 W 4000 K	120	60000
PANEL PERFORMANCE 1200x300				
PANEL PERFORMANCE 1200x300	4058075440050	PANEL PERFORMANCE 1200x300 33W 3000 K	120	60000
PANEL PERFORMANCE 1200x300	4058075440074	PANEL PERFORMANCE 1200x300 33W 4000 K	120	60000
PANEL PERFORMANCE 1200X300 DALI				
PANEL PERFORMANCE 1200X300 DALI	4058075440135	PANEL PERFORMANCE 1200X300 DALI 33W 3000 K	120	60000
PANEL PERFORMANCE 1200X300 DALI	4058075440173	PANEL PERFORMANCE 1200X300 DALI 33W 4000 K	120	60000

Produkt Familie	EAN10	Produkt Name	Lichtaus- beute [lm/W]	Lebensdauer L80/B50 [h]
PANEL PERFORMANCE 1200x300 UGR<19				
PANEL PERFORMANCE 1200x300 UGR<19	4058075440111	PANEL PERFORMANCE 1200x300 UGR<19 30 W 4000 K	120	60000
PANEL PERFORMANCE 1200X300 UGR<19 DALI				
PANEL PERFORMANCE 1200X300 UGR<19 DALI	4058075440630	PANEL PERFORMANCE 1200X300 UGR<19 DALI 30W 4000 K	120	60000
PANEL PERFORMANCE 600				
PANEL PERFORMANCE 600	4058075440159	PANEL PERFORMANCE 600 25 W 3000 K	120	60000
PANEL PERFORMANCE 600	4058075440197	PANEL PERFORMANCE 600 25 W 4000 K	120	60000
PANEL PERFORMANCE 600	4058075440234	PANEL PERFORMANCE 600 30 W 3000 K	120	60000
PANEL PERFORMANCE 600	4058075440258	PANEL PERFORMANCE 600 30 W 4000 K	120	60000
PANEL PERFORMANCE 600	4058075440319	PANEL PERFORMANCE 600 36 W 3000 K	120	60000
PANEL PERFORMANCE 600	4058075440333	PANEL PERFORMANCE 600 36 W 4000 K	120	60000
PANEL PERFORMANCE 600 DALI				
PANEL PERFORMANCE 600 DALI	4058075440357	PANEL PERFORMANCE 600 DALI 36W 3000 K	120	60000
PANEL PERFORMANCE 600 DALI	4058075440395	PANEL PERFORMANCE 600 DALI 36W 4000 K	120	60000
PANEL PERFORMANCE 600 DALI	4058075537972	PANEL PERFORMANCE 600 DALI 30W 3000 K	120	60000
PANEL PERFORMANCE 600 DALI	4058075538030	PANEL PERFORMANCE 600 DALI 30W 4000 K	120	60000
PANEL PERFORMANCE 600 UGR<19				
PANEL PERFORMANCE 600 UGR<19	4058075440272	PANEL PERFORMANCE 600 UGR<19 30 W 3000 K	120	60000
PANEL PERFORMANCE 600 UGR<19	4058075440296	PANEL PERFORMANCE 600 UGR<19 30 W 4000 K	120	60000
PANEL PERFORMANCE 600 UGR<19	4058075440418	PANEL PERFORMANCE 600 UGR<19 36 W 3000 K	120	60000
PANEL PERFORMANCE 600 UGR<19	4058075440432	PANEL PERFORMANCE 600 UGR<19 36 W 4000 K	120	60000
PANEL PERFORMANCE 600 UGR<19 DALI				
PANEL PERFORMANCE 600 UGR<19 DALI	4058075440456	PANEL PERFORMANCE 600 UGR<19 DALI 36W 3000 K	120	60000
PANEL PERFORMANCE 600 UGR<19 DALI	4058075440470	PANEL PERFORMANCE 600 UGR<19 DALI 36W 4000 K	120	60000
PANEL PERFORMANCE 600 UGR<19 DALI	4058075538085	PANEL PERFORMANCE 600 UGR<19 DALI 30W 3000 K	120	60000
PANEL PERFORMANCE 600 UGR<19 DALI	4058075538122	PANEL PERFORMANCE 600 UGR<19 DALI 30W 4000 K	120	60000
PANEL PERFORMANCE 600 UGR<19 ZIGBEE				
PANEL PERFORMANCE 600 UGR<19 ZIGBEE	4058075522862	PANEL PERFORMANCE 600 UGR<19 ZIGBEE 36W 4000 K	120	60000
PANEL PERFORMANCE 600 ZIGBEE				
PANEL PERFORMANCE 600 ZIGBEE	4058075522824	PANEL PERFORMANCE 600 ZIGBEE 36W 4000 K	120	60000
PANEL PERFORMANCE 625				
PANEL PERFORMANCE 625	4058075440494	PANEL PERFORMANCE 625 25 W 3000 K	120	60000
PANEL PERFORMANCE 625	4058075440517	PANEL PERFORMANCE 625 25 W 4000 K	120	60000
PANEL PERFORMANCE 625	4058075440531	PANEL PERFORMANCE 625 30 W 3000 K	120	60000
PANEL PERFORMANCE 625	4058075440555	PANEL PERFORMANCE 625 30 W 4000 K	120	60000
PANEL PERFORMANCE 625	4058075440678	PANEL PERFORMANCE 625 36 W 3000 K	120	60000
PANEL PERFORMANCE 625	4058075440692	PANEL PERFORMANCE 625 36 W 4000 K	120	60000
PANEL PERFORMANCE 625 DALI				
PANEL PERFORMANCE 625 DALI	4058075440616	PANEL PERFORMANCE 625 DALI 36W/3000 K	120	60000
PANEL PERFORMANCE 625 DALI	4058075440654	PANEL PERFORMANCE 625 DALI 36W/4000 K	120	60000
PANEL PERFORMANCE 625 DALI	4058075538160	PANEL PERFORMANCE 625 DALI 30W/3000 K	120	60000
PANEL PERFORMANCE 625 DALI	4058075538191	PANEL PERFORMANCE 625 DALI 30W/4000 K	120	60000
PANEL PERFORMANCE 625 UGR<19				
PANEL PERFORMANCE 625 UGR<19	4058075440579	PANEL PERFORMANCE 625 UGR<19 30 W 3000 K	120	60000
PANEL PERFORMANCE 625 UGR<19	4058075440593	PANEL PERFORMANCE 625 UGR<19 30 W 4000 K	120	60000
PANEL PERFORMANCE 625 UGR<19	4058075440715	PANEL PERFORMANCE 625 UGR<19 36 W 3000 K	120	60000
PANEL PERFORMANCE 625 UGR<19	4058075440739	PANEL PERFORMANCE 625 UGR<19 36 W 4000 K	120	60000
PANEL PERFORMANCE 625 UGR<19 DALI				
PANEL PERFORMANCE 625 UGR<19 DALI	4058075440753	PANEL PERFORMANCE 625 UGR<19 DALI 36W 3000 K	120	60000
PANEL PERFORMANCE 625 UGR<19 DALI	4058075440777	PANEL PERFORMANCE 625 UGR<19 DALI 36W 4000 K	120	60000
PANEL PERFORMANCE 625 UGR<19 DALI	4058075538221	PANEL PERFORMANCE 625 UGR<19 DALI 30W 3000 K	120	60000
PANEL PERFORMANCE 625 UGR<19 DALI	4058075538252	PANEL PERFORMANCE 625 UGR<19 DALI 30W 4000 K	120	60000
PANEL PERFORMANCE 625 UGR<19 ZIGBEE				
PANEL PERFORMANCE 625 UGR<19 ZIGBEE	4058075522886	PANEL PERFORMANCE 625 UGR<19 ZIGBEE 36W 4000 K	120	60000
PANEL PERFORMANCE 625 ZIGBEE				
PANEL PERFORMANCE 625 ZIGBEE	4058075522848	PANEL PERFORMANCE 625 ZIGBEE 36W 4000 K	120	60000
PANEL PFM HO DALI 600 CB UGR<19				
PANEL PFM HO DALI 600 CB UGR<19	4058075400658	PANEL PFM HO DALI 600 CB UGR<19 36 W 3000 K WT	120	60000
PANEL PFM HO DALI 600 CB UGR<19	4058075400672	PANEL PFM HO DALI 600 CB UGR<19 36 W 4000 K WT	120	60000
TruSys® PERFORMANCE DOUBLE ASYMMETRIC				
TruSys® PERFORMANCE DOUBLE ASYMMETRIC	4058075398733	TruSys® PERFORMANCE DOUBLE ASYMMETRIC 35 W 4000 K	160	60000
TruSys® PERFORMANCE DOUBLE ASYMMETRIC	4058075398795	TruSys® PERFORMANCE DOUBLE ASYMMETRIC 50 W 4000 K	160	60000
TruSys® PERFORMANCE DOUBLE ASYMMETRIC	4058075398832	TruSys® PERFORMANCE DOUBLE ASYMMETRIC 70 W 4000 K	160	50000
TruSys® PERFORMANCE EMERGENCY NARROW				
TruSys® PERFORMANCE EMERGENCY NARROW	4058075291232	TruSys® PERFORMANCE EMERGENCY NARROW 50 W 4000 K AT 3H	160	60000
TruSys® PERFORMANCE EMERGENCY NARROW	4058075291256	TruSys® PERFORMANCE EMERGENCY NARROW 70 W 4000 K AT 3H	160	50000
TruSys® PERFORMANCE EMERGENCY VERY NARROW				
TruSys® PERFORMANCE EMERGENCY VERY NARROW	4058075291270	TruSys® PERFORMANCE EMERGENCY VERY NARROW 70 W 4000 K AT 3H	160	50000
TruSys® PERFORMANCE EMERGENCY VERY WIDE				
TruSys® PERFORMANCE EMERGENCY VERY WIDE	4058075291218	TruSys® PERFORMANCE EMERGENCY VERY WIDE 35 W 4000 K AT 3H	160	60000
TruSys® PERFORMANCE EMERGENCY WIDE				
TruSys® PERFORMANCE EMERGENCY WIDE	4058075291157	TruSys® PERFORMANCE EMERGENCY WIDE 35 W 4000 K AT 3H	160	60000
TruSys® PERFORMANCE EMERGENCY WIDE	4058075291171	TruSys® PERFORMANCE EMERGENCY WIDE 50 W 4000 K AT 3H	160	60000
TruSys® PERFORMANCE EMERGENCY WIDE	4058075291195	TruSys® PERFORMANCE EMERGENCY WIDE 70 W 4000 K AT 3H	160	50000
TruSys® PERFORMANCE NARROW				
TruSys® PERFORMANCE NARROW	4058075290945	TruSys® PERFORMANCE NARROW 50 W 4000 K	160	60000
TruSys® PERFORMANCE NARROW	4058075290969	TruSys® PERFORMANCE NARROW 70 W 4000 K	160	50000
TruSys® PERFORMANCE NARROW	4058075398719	TruSys® PERFORMANCE NARROW 35 W 4000 K	160	60000
TruSys® PERFORMANCE NARROW	4058075291096	TruSys® PERFORMANCE NARROW 50 W 4000 K DALI	160	60000
TruSys® PERFORMANCE NARROW	4058075291119	TruSys® PERFORMANCE NARROW 70 W 4000 K DALI	160	50000
TruSys® PERFORMANCE VERY NARROW				
TruSys® PERFORMANCE VERY NARROW	4058075290983	TruSys® PERFORMANCE VERY NARROW 70 W 4000 K	160	50000
TruSys® PERFORMANCE VERY NARROW	4058075398696	TruSys® PERFORMANCE VERY NARROW 35 W 4000 K	160	60000

Produkt Familie	EAN10	Produkt Name	Lichtaus- beute [lm/W]	Lebensdauer L80/B50 [h]
TruSys® PERFORMANCE VERY NARROW	4058075398757	TruSys® PERFORMANCE VERY NARROW 50 W 4000 K	160	60000
TruSys® PERFORMANCE VERY NARROW	4058075291133	TruSys® PERFORMANCE VERY NARROW 70 W 4000 K DALI	160	50000
TruSys® PERFORMANCE VERY WIDE				
TruSys® PERFORMANCE VERY WIDE	4058075290921	TruSys® PERFORMANCE VERY WIDE 35 W 4000 K	160	60000
TruSys® PERFORMANCE VERY WIDE	4058075398771	TruSys® PERFORMANCE VERY WIDE 50 W 4000 K	160	60000
TruSys® PERFORMANCE VERY WIDE	4058075398818	TruSys® PERFORMANCE VERY WIDE 70 W 4000 K	160	50000
TruSys® PERFORMANCE VERY WIDE	4058075291072	TruSys® PERFORMANCE VERY WIDE 35 W 4000 K DALI	160	60000
TruSys® PERFORMANCE WIDE				
TruSys® PERFORMANCE WIDE	4058075290839	TruSys® PERFORMANCE WIDE 35 W 4000 K	160	60000
TruSys® PERFORMANCE WIDE	4058075290853	TruSys® PERFORMANCE WIDE 50 W 4000 K	160	60000
TruSys® PERFORMANCE WIDE	4058075290891	TruSys® PERFORMANCE WIDE 70 W 4000 K	160	50000
TruSys® PERFORMANCE WIDE	4058075291010	TruSys® PERFORMANCE WIDE 35 W 4000 K DALI	160	60000
TruSys® PERFORMANCE WIDE	4058075291034	TruSys® PERFORMANCE WIDE 50 W 4000 K DALI	160	60000
TruSys® PERFORMANCE WIDE	4058075291058	TruSys® PERFORMANCE WIDE 70 W 4000 K DALI	160	50000