












ORBIS® PIANA



	EAN	W	lm light source	lm output	K	ⓘ (°C)	V~	mA	Hz	DF	PF	▽ (°)	
ORBIS PIANA 290X290 16W830CLICKD BK	4099854624902	16	2000	1000	3000	-20... +40	220- 240	150	50/ 60	0.7	0.5	120	15000
ORBIS PIANA 380X380 24W830CLICKD BK	4099854625268	24	2700	1450	3000	-20... +40	220- 240	220	50/ 60	0.7	0.5	120	15000
ORBIS PIANA 485X485 36W830CLICKD BK	4099854625329	36	4700	2000	3000	-20... +40	220- 240	180	50/ 60	0.9	0.9	120	15000
ORBIS PIANA 290X290 16W830CLICKD WT	4099854626401	16	2000	1000	3000	-20... +40	220- 240	150	50/ 60	0.7	0.5	120	15000
ORBIS PIANA 380X380 24W830CLICKD WT	4099854626425	24	2700	1450	3000	-20... +40	220- 240	220	50/ 60	0.7	0.5	120	15000
ORBIS PIANA 485X485 36W830CLICKD WT	4099854626449	36	4700	2000	3000	-20... +40	220- 240	180	50/ 60	0.9	0.9	120	15000
ORBIS PIANA 290X290 16W830CLICKD SI	4099854626463	16	2000	1000	3000	-20... +40	220- 240	150	50/ 60	0.7	0.5	120	15000
ORBIS PIANA 380X380 24W830CLICKD SI	4099854626487	24	2700	1450	3000	-20... +40	220- 240	220	50/ 60	0.7	0.5	120	15000
ORBIS PIANA 485X485 36W830CLICKD SI	4099854626500	36	4700	2000	3000	-20... +40	220- 240	180	50/ 60	0.9	0.9	120	15000







					
EAN		n		 QR code	ENERGY * X =
ORBIS PIANA 290X290 16W830CLICKD BK		4099854624902	1	AC53178	 E
ORBIS PIANA 380X380 24W830CLICKD BK		4099854625268	1	AC53179	 F
ORBIS PIANA 485X485 36W830CLICKD BK		4099854625329	1	AC61117	 D
ORBIS PIANA 290X290 16W830CLICKD WT		4099854626401	1	AC53178	 E
ORBIS PIANA 380X380 24W830CLICKD WT		4099854626425	1	AC53179	 F
ORBIS PIANA 485X485 36W830CLICKD WT		4099854626449	1	AC61117	 D

