

PRODUCT DATASHEET

LISOEV 1465x31 28 23W 930 S130

LINEAR INDIVIDUAL LIGHT SOURCES INDIRECT | Upgrade or replacement light source unit for indirect, diffuse light distribution



Areas of application

- Direct replacement for luminaires with fluorescent lamps
- Offices, education, public buildings

Product benefits

- Easy upgradeability of light source and driver (EVERLOOP design)
- Easy installation, no tools required for connection
- Homogenous light distribution and reduced glare ($UGR \leq 19$) thanks to IndiviLED® optics
- High performance with CRI90

Product features

- Indirect, diffuse light distribution
- Lifetime (L80/B10): 70,000 h (at 25 °C)
- Beam angle: 90°


TECHNICAL DATA

Electrical data


Nominal wattage	23.00 W
Nominal voltage	45 V
Nominal current	466.000 mA

Photometrical data

Luminous flux	2850 lm
Luminous efficacy	123 lm/W
Color temperature	3000 K
Light color (designation)	Warm White
Color rendering index Ra	≥90
Standard deviation of color matching	3 sdcn
Flickering metric (Pst LM)	≤1
Stroboscope effect metric (SVM)	≤0.4
Photobiological safety group acc. to EN62778	RG1
Beam angle	130 °
UGR	19



LISOEV 1465X31 28 23W 930 S130 LEDV 466mA



LISOEV 1465X31 28 23W 930 S130 LEDV 466mA

Dimensions & Weight

Length	1465.00 mm
--------	------------

Width	31.00 mm
Height	11.00 mm
Product weight	337.00 g
Cable length	100.000



1 5m INDIRECT LED MODULE

Materials & Colors

Product color	Grey
Housing color	Grey

Application & Mounting

Ambient temperature range	-20...+50 °C
Temperature range at storage	-20...+80 °C
Type of connection	Push-in clamp
Type of protection	IP20
Dimmable	No

Lifespan

Lifespan L70/B50 at 25 °C	100000 h
Lifespan L80/B10 at 25 °C	70000 h
Lifespan L80/B50 at 25 °C	70000 h
Lifespan L90/B10 at 25 °C	35000 h
Number of switching cycles	25000

Certificates & Standards

Standards	CE / CB / ENEC / TÜV SÜD / UKCA / EAC
-----------	---------------------------------------

Additional product data

Product remark	Available from September 2025
----------------	-------------------------------

Safety advice

– All electrical connections must be made by a qualified person.

DOWNLOAD DATA

Documents and certificates		Document name
	User instruction / safety instructions	User instruction G11244437
	Legal information	Informationstext 18 Abs 4 ElektroG
	Legal information	Safety Insert G11218810
	Legal information	Legal Insert G11244392
	Legal information	LSI insert G11244301
	Declarations of conformity	LN INV
	Declarations of conformity UKCA	LN INV
Photometric and lighting design files		Document name
	IES file (IES)	LISOEV 1465X31 28 23W 930 S130 LEDV 466mA
	LDT file (Eulumdat)	LISOEV 1465X31 28 23W 930 S130 LEDV 466mA
	Light distribution curve type cone	LISOEV 1465X31 28 23W 930 S130 LEDV 466mA
	Light distribution curve type polar	LISOEV 1465X31 28 23W 930 S130 LEDV 466mA
CAD/BIM files		Document name
	CAD STEP 3D	LN INDV INDIRECT G2 LISOEV 1500

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4099854285059	Folding box 1	36 mm x 1,472 mm x 17 mm	417.00 g	0.90 dm ³
4099854285066	Shipping box 10	1,484 mm x 184 mm x 67 mm	4270.00 g	18.29 dm ³
4099854285073	Shipping box 20	1,504 mm x 204 mm x 158 mm	9450.00 g	48.48 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DIRECT		ROBERT			
EAN	LSDEV	EAN	LSDEV	EAN	LINEAR Index/EWT
				400095183120	C1 100P 40W 100 PLS WT
				400095183200	C1 100P 40W 100 PLS WT
				400095183270	C1 100P 40W 100 CAH WT
				400095183300	C1 100P 40W 100 CA LK WT
400095183430	LSDEV 107403 18 40W 100 30A5 1/3 U3	400095183470	LSDEV 103031 20 100 100 3 U3	400095183490	C1 100P 40W 100 CAH WT
				400095183500	C1 100P 40W 100 CAH WT
				400095183520	C1 100P 40W 100 CAH WT
				400095183530	C1 100P 40W 100 CAH WT
				400095183570	C1 100P 40W 100 CAH WT
				400095183580	C1 100P 40W 100 CAH WT
400095183630	LSDEV 107403 10 40W 100 30A5 1/3 U3	400095183690	LSDEV 103031 21 100 100 3 U3	400095183710	C1 100P 40W 100 PLS WT
				400095183720	C1 100P 40W 100 PLS WT
				400095183730	C1 100P 40W 100 PLS WT
				400095183740	C1 100P 40W 100 CAH WT
				400095183750	C1 100P 40W 100 CAH WT
400095183830	LSDEV 103031 05 40W 100 30A5 1/3 U3	400095183870	LSDEV 103031 08 40W 100 3 U3	400095183900	C1 100P 40W 100 CAH WT
				400095183910	C1 100P 40W 100 CAH WT
				400095183920	C1 100P 40W 100 CAH WT
				400095183930	C1 100P 40W 100 CAH WT
				400095183940	C1 100P 40W 100 CAH WT
				400095183950	C1 100P 40W 100 CAH WT
				400095183960	C1 100P 40W 100 CAH WT
				400095183970	C1 100P 40W 100 CAH WT
				400095183980	C1 100P 40W 100 CAH WT
400095184030	LSDEV 103031 06 40W 100 30A5 1/3 U3	400095184070	LSDEV 103031 08 40W 100 3 U3	400095184090	C1 100P 40W 100 CAH WT
				400095184100	C1 100P 40W 100 CAH WT
				400095184110	C1 100P 40W 100 CAH WT
				400095184120	C1 100P 40W 100 CAH WT
				400095184130	C1 100P 40W 100 CAH WT
				400095184140	C1 100P 40W 100 CAH WT
				400095184150	C1 100P 40W 100 CAH WT
				400095184160	C1 100P 40W 100 CAH WT
				400095184170	C1 100P 40W 100 CAH WT
				400095184180	C1 100P 40W 100 CAH WT
				400095184190	C1 100P 40W 100 CAH WT
				400095184200	C1 100P 40W 100 CAH WT
				400095184210	C1 100P 40W 100 CAH WT
				400095184220	C1 100P 40W 100 CAH WT
				400095184230	C1 100P 40W 100 CAH WT
				400095184240	C1 100P 40W 100 CAH WT
				400095184250	C1 100P 40W 100 CAH WT
				400095184260	C1 100P 40W 100 CAH WT
				400095184270	C1 100P 40W 100 CAH WT
				400095184280	C1 100P 40W 100 CAH WT
				400095184290	C1 100P 40W 100 CAH WT
				400095184300	C1 100P 40W 100 CAH WT
				400095184310	C1 100P 40W 100 CAH WT
				400095184320	C1 100P 40W 100 CAH WT
				400095184330	C1 100P 40W 100 CAH WT
				400095184340	C1 100P 40W 100 CAH WT
				400095184350	C1 100P 40W 100 CAH WT
				400095184360	C1 100P 40W 100 CAH WT
				400095184370	C1 100P 40W 100 CAH WT
				400095184380	C1

DIRECT		INDIRECT		EAN	
EAN	LOCUS	EAN	LOCUS	EAN	LINEAR INDEXED/EPK
				4000045000000	01000 PAK AND PSL BK
				4000045000001	01000 PAK AND PSL BK
				4000045000002	01000 PAK AND PSL BK
				4000045000003	01000 PAK AND PSL BK
4000045000009	LOCUS 1007010 45 1000 WMS 00010-15K	4000045000010	LOCUS 1000701 20 1000 WMS 00010-15K	4000045000004	01000 PAK AND CAI BK
				4000045000005	01000 PAK AND CAI BK
				4000045000006	01000 PAK AND CAI BK
				4000045000007	01000 PAK AND CAI BK
				4000045000008	01000 PAK AND CAI BK
				4000045000009	01000 PAK AND CAI BK
				4000045000010	01000 PAK AND CAI BK
				4000045000011	01000 PAK AND PSL BK
				4000045000012	01000 PAK AND PSL BK
				4000045000013	01000 PAK AND PSL BK
				4000045000014	01000 PAK AND PSL BK
				4000045000015	01000 PAK AND PSL BK
				4000045000016	01000 PAK AND PSL BK
				4000045000017	01000 PAK AND PSL BK
				4000045000018	01000 PAK AND PSL BK
				4000045000019	01000 PAK AND PSL BK
				4000045000020	01000 PAK AND PSL BK
				4000045000021	01000 PAK AND PSL BK
				4000045000022	01000 PAK AND PSL BK
				4000045000023	01000 PAK AND PSL BK
				4000045000024	01000 PAK AND PSL BK
				4000045000025	01000 PAK AND PSL BK
				4000045000026	01000 PAK AND PSL BK
				4000045000027	01000 PAK AND PSL BK
				4000045000028	01000 PAK AND PSL BK
				4000045000029	01000 PAK AND PSL BK
				4000045000030	01000 PAK AND PSL BK
				4000045000031	01000 PAK AND PSL BK
				4000045000032	01000 PAK AND PSL BK
				4000045000033	01000 PAK AND PSL BK
				4000045000034	01000 PAK AND PSL BK
				4000045000035	01000 PAK AND PSL BK
				4000045000036	01000 PAK AND PSL BK
				4000045000037	01000 PAK AND PSL BK
				4000045000038	01000 PAK AND PSL BK
				4000045000039	01000 PAK AND PSL BK
				4000045000040	01000 PAK AND PSL BK
				4000045000041	01000 PAK AND PSL BK
				4000045000042	01000 PAK AND PSL BK
				4000045000043	01000 PAK AND PSL BK
				4000045000044	01000 PAK AND PSL BK
				4000045000045	01000 PAK AND PSL BK
				4000045000046	01000 PAK AND PSL BK
				4000045000047	01000 PAK AND PSL BK
				4000045000048	01000 PAK AND PSL BK
				4000045000049	01000 PAK AND PSL BK
				4000045000050	01000 PAK AND PSL BK
				4000045000051	01000 PAK AND PSL BK
				4000045000052	01000 PAK AND PSL BK
				4000045000053	01000 PAK AND PSL BK
				4000045000054	01000 PAK AND PSL BK
				4000045000055	01000 PAK AND PSL BK
				4000045000056	01000 PAK AND PSL BK
				4000045000057	01000 PAK AND PSL BK
				4000045000058	01000 PAK AND PSL BK
				4000045000059	01000 PAK AND PSL BK
				4000045000060	01000 PAK AND PSL BK
				4000045000061	01000

– For Guarantee see www.ledvance.com/guarantee

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.