

PRODUCT DATASHEET 10 W/865 E27

OSRAM DULUX® VALUE STICK | CFLi, stick shape, with screw base





TECHNICAL DATA

Electrical data

| Nominal wattage | 10 W |
|------------------------|----------|
| Construction wattage | 10.00 W |
| Nominal voltage | 220240 V |
| Nominal current | 100 mA |
| Operating frequency | 5060 Hz |
| Mains frequency | 5060 Hz |
| Power factor λ | ≥ 0.55 |

Photometrical data

| Luminous flux | 530 lm |
|--------------------------|--------|
| Color temperature | 6500 K |
| Color rendering index Ra | 80 |
| Light color | 865 |

Light technical data

| Starting time | < 2.0 s |
|---------------|---------|
|---------------|---------|

Dimensions & Weight

| Overall length | 145.00 mm |
|------------------|-----------|
| Diameter | 41.00 mm |
| Tube diameter | T3 |
| Maximum diameter | 41 mm |
| Product weight | 53.00 g |

Lifespan

| Number of switching cycles | ≥3000 |
|----------------------------|-------|
| 3 -, | |

Additional product data

| Base (standard designation) | E27 |
|-----------------------------|--------|
| Mercury content | 2.0 mg |
| Mercury-free | No |

Capabilities

| Dimmable |
|----------|
|----------|

Country-specific categorizations

| Order reference | DVALUE 10W/865 | |
|---|----------------|--|
| Energy labelling regulation data acc EU 2019/2015 | | |
| Light source cap-type (or other electric interface) | E27 | |
| Length | 145.00 mm | |
| Height | 41.00 mm | |
| Width | 41.00 mm | |

LOGISTICAL DATA

| Product code | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Gross weight | Volume |
|---------------|------------------------------|--------------------------------------|--------------|----------------------|
| 4008321401106 | Folding box | 45 mm x 45 mm x 144 mm | 92.00 g | 0.29 dm ³ |
| 4058075012240 | Shipping box 12 | 270 mm x 95 mm x 162 mm | 947.00 g | 4.16 dm ³ |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.