

# PRODUCT DATASHEET

## CONC R50 SP 40 W 230 V E14

CONCENTRA® SPOT R50 | Incandescent lamps with reflector R50 for accent lighting



---

### Areas of application

- Accent lighting

---

### Product features

- Base: E14

---

**TECHNICAL DATA****Electrical data**

|                      |         |
|----------------------|---------|
| Nominal wattage      | 40 W    |
| Construction wattage | 40.00 W |
| Nominal voltage      | 230 V   |

**Photometrical data**

|                          |        |
|--------------------------|--------|
| Luminous intensity       | 410 cd |
| Color temperature        | 2700 K |
| Color rendering index Ra | 100    |
| Light color              | 1027   |

**Light technical data**

|               |      |
|---------------|------|
| Beam angle    | 30 ° |
| Starting time | 0 s  |

**Dimensions & Weight**

|                |          |
|----------------|----------|
| Overall length | 87.00 mm |
| Diameter       | 50,0 mm  |
| Product weight | 19.00 g  |

**Additional product data**

|                             |                                               |
|-----------------------------|-----------------------------------------------|
| Base (standard designation) | E14                                           |
| Mercury-free                | Yes                                           |
| Product remark              | Banned from 1.9.2014 as per EU phase-out plan |

**Country-specific categorizations**

|                 |                      |
|-----------------|----------------------|
| ILCOS           | IRR-40-230-E14-50/30 |
| Order reference | CONC R50 SP 40W      |

**Energy labelling regulation data acc EU 2019/2015**

|                                                     |          |
|-----------------------------------------------------|----------|
| Light source cap-type (or other electric interface) | E14      |
| Length                                              | 87.00 mm |
| Height                                              | 50,0 mm  |
| Width                                               | 50,0 mm  |

---

**LOGISTICAL DATA**

| Product code | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Gross weight | Volume |
|--------------|------------------------------|--------------------------------------|--------------|--------|
|--------------|------------------------------|--------------------------------------|--------------|--------|

| Product code  | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Gross weight | Volume               |
|---------------|------------------------------|--------------------------------------|--------------|----------------------|
| 4052899180482 | Folding box<br>1             | 51 mm x 51 mm x 92 mm                | 27.00 g      | 0.24 dm <sup>3</sup> |
| 4052899180499 | Shipping box<br>25           | 261 mm x 261 mm x 102 mm             | 1096.00 g    | 6.95 dm <sup>3</sup> |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.